

REFERENCES

ARTICLES

1924; "The Auditory Masking of One Pure Tone by Another and its Probable Relation to the Dynamics of the Inner Ear;" Wegel and Lane; Physical Review

1925; "Binaural Beats;" Lane; Physical Review

1930; "Some Observations on Bone Conduction;" Hallpike; The Journal of Laryngology and Otology

1930; "Audition by Bone Conduction;" Dean; The Journal of the Acoustical Society of America

1932; "A Method of Classifying Audiograms;" Guild; The Laryngoscope

1933; "On Minimum Audible Sound Fields;" Sivian and White; The Journal of the Acoustical Society of America

1937; "Relation Between Loudness and Masking;" Fletcher; The Journal of the Acoustical Society of America

1937; "The Effect of Binaural Occlusion of the External Auditory Meati on the Sensitivity of the Normal Ear for Bone Conducted Sound;" Kelley and Reger; Journal of Experimental Psychology

1938; "Loudness, Masking, and Their Relation to the Hearing Process and the Problem of Noise Measurement;" Fletcher; The Journal of the Acoustical Society of America

1940; "Auditory Patterns;" Fletcher; Review of Modern Physics

1943; "Bone-Conduction Threshold Measurements: Effects of Occlusion, Enclosures, and Masking Devices;" Watson and Gales; The Journal of the Acoustical Society of America

1944; "Manual for Program Outline for Rehabilitation of Aural Casualties of Both Military and Civilian;" Hughson and Westlake; Supplement to the Transactions of the American Academy of Ophthalmology and Otolaryngology

1947; "Shift of Bone Conduction Threshold on Occlusion of the External Ear Canal;" Sullivan et al; The Laryngoscope

1948; "Vibration of the Head in a Sound Field and its Role in Hearing by Bone Conduction;" Von Bekesy; The Journal of the Acoustical Society of America

1950; "Clinical Application of Bone Conduction Audiometry;" Carhart; Archives of Otolaryngology: Head & Neck Surgery

1950; "The Masking of Pure Tones and of Speech by White Noise;" Hawkins Jr and Stevens; The Journal of the Acoustical Society of America

1950; "The Frequency Selectivity of the Ear as Determined by Masking Experiments;" Schafer et al; The Journal of the Acoustical Society of America

1950; "On the Masking Pattern of a Simple Auditory Stimulus;" Egan and Hake; The Journal of the Acoustical Society of America

1951; "Signs, Emblems, and Symbols of Choice in Plotting Threshold Audiograms;" Fowler; Archives of Otolaryngology: Head and Neck Surgery

1952; "Mechanism of Shadow Hearing;" Tschiasny; Archives of Otolaryngology: Head and Neck Surgery

1953; "Acoustic Attenuation Between the Ears; Zwislocki; The Journal of the Acoustical Society of America

1953; "Facts and Fallacies of Bone Conduction;" Weille and Gargano; The Laryngoscope

1956; "Masking of Tones by Bands of Noise;" Bilger and Hirsh; The Journal of the Acoustical Society of America

1957; "Masking Levels for Clinical Use;" Harbert; Archives of Otolaryngology: Head & Neck Surgery

1957; "Additional Data on Bone-Conduction Shift When the External Auditory Meatuses are Occluded;" Siegenthaler et al; Archives of Otolaryngology: Head and Neck Surgery

1957; "Clinical Bone-Conduction Audiometry;" Naunton; Archives of Otolaryngology: Head and Neck Surgery

1957; "Masking Levels for Clinical Use;" Harbart; Archives of Otolaryngology: Head and Neck Surgery

1958; "Masking in Audiometry;" Palva; Acta Oto-Laryngologica

1959; "Preferred Method for Clinical Determination of Pure-Tone Thresholds;" Carhart and Jerger; Journal of Speech and Hearing Disorders

1959; "Masking in Clinical Audiometry;" Liden et al; Acta Oto-Laryngologica

1959; "Narrowband Masking with White Noise;" Liden et al; Acta Oto-Laryngologica

1960; "The Principles and Practice of Bone Conduction Audiometry;" Hood; The Laryngoscope

1960; "A Masking Dilemma in Bilateral Conduction Deafness;" Naunton; Archives of Otolaryngology: Head & Neck Surgery

1960; "Assessment of Sensorineural Response in Otosclerotics;" Carhart; Archives of Otolaryngology: Head and Neck Surgery

1961; "Problems in the Measurement of Bone Conduction;" Feldman; Journal of Speech and Hearing Disorders

1962; "On Masking in Bone-Conduction Testing;" Studebaker; Journal of Speech and Hearing Research

1962; "On the Use of Hearing-Aid Type Earphones in Clinical Audiometry;" Konig; Acta Oto-Laryngologica

1962; "Placement of Vibrator in Bone-Conduction Testing;" Studebaker; Journal of Speech and Hearing Research

1963; "The Stability of the Occlusion Effect;" Elpern and Naunton; Archives of Otolaryngology: Head and Neck Surgery

1963; "Maximum Air-Conduction Hearing Loss;" Feldman; Journal of Speech and Hearing Research

1964; "Changes in Bone-Conduction Thresholds Produced by Masking in the Non-Test Ear;" Dirks and Malmquist; Journal of Speech and Hearing Research

1964; "Clinical Masking of Air- and Bone- Conducted Stimuli;" Studebaker; Journal of Speech and Hearing Disorders

1964; "Masking in Audiometry: A Clinical Evaluation of Three Methods;" Sanders and Rintelmann; Archives of Otolaryngology: Head & Neck Surgery

1964; "Clinical Masking of Air- and Bone-Conducted Stimuli;" Studebaker; Journal of Speech and Hearing Disorders

1965; "The Occlusion Effect in Bone Conduction Hearing;" Goldstein and Hayes; Journal of Speech and Hearing Research

1965; "Individual Masking Levels in Pure Tone Audiometry;" Veniar; Archives of Otolaryngology: Head and Neck Surgery

1965; "Shifts in Air-Conduction Thresholds Produced by Pulsed and Continuous Contralateral Masking;" Dirks and Malmquist; The Journal of the Acoustical Society of America

1965; "Three Time Parameters of Central Masking: 70th Meeting Acoustical Society of America;" Zwislocki et al; The Journal of the Acoustical Society of America

1966; "Central Masking: On Time and Intensity Interaction: 72nd Meeting Acoustical Society of America;" Zwislocki and Johnson; The Journal of the Acoustical Society of America

1966; "Shifts in Auditory Thresholds Produced by Ipsilateral and Contralateral Maskers at Low-Intensity Levels;" Dirks and Norris; The Journal of the Acoustical Society of America

1967; "The Variability of Occluded and Unoccluded Bone-Conduction Thresholds;" Dirks and Swindeman; Journal of Speech and Hearing Research

1967; "Contralateral Masking and Bekesy Audiometry in Normal Listeners; Blegvad; Acta Otolaryngologica

1967; "Intertest Variability and the Air-Bone Gap;" Studebaker; Journal of Speech and Hearing Disorders

1968; "Air and Bone Conduction Thresholds of Deaf and Normal Hearing Subjects Before and During the Elimination of Cutaneous-Tactile Interference with Anesthesia;" Hober; U.S. Department of Health, Education, and Welfare

1968; "Frequency Distribution of Central Masking;" Zwislocki et al; The Journal of the Acoustical Society of America

1970; "On the Misdiagnoses Resulting from Incorrect Use of Masking;" Coles and Priede; The Journal of Laryngology and Otology

1970; "Vibrotactile Thresholds in Pure Tone Audiometry;" Boothroyd and Cawkwell; Acta Otolaryngologica

1970; "The Relationship Between Vibrator Placement and Bone Conduction Measurements with Monaurally Deaf Subjects;" Hurley and Berger; Journal of Auditory Research

1971; "Central Masking and Neural Activity in the Cochlear Nucleus;" Zwislocki; Audiology

1972; "Low Frequency Bone Conduction Response in Deaf Children;" Dayal et al; Annals of Otology

1973; "Interaural Attenuation Characteristics in Audiometry;" Snyder; The Laryngoscope

1973; "Central Masking in Normal Listeners;" Snyder; Acta Oto-Laryngologica

1974; "Minimum Effective Masking Levels in Threshold Audiometry;" Martin; Journal of Speech and Hearing Disorders

1974; "Audiometric Bing Test For Determination of Minimum Masking Levels For Bone-Conduction Tests;" Martin et al; Journal of Speech and Hearing Disorders

1974; "Six Experiments on Speech Discrimination Utilizing CNC Monosyllables;" Rintelmann et al; Journal of Auditory Research

1975; "Bone-Vibrator Measurements: Physical Characteristics and Behavioral Thresholds;" Dirks and Kamm; Journal of Speech and Hearing Research

1975; "Guidelines for Audiometric Symbols;" ASHA Committee on Audiometric Evaluation; Journal of the American Audiology Society

1975; "Masking of the Non-Test Ear in Speech Audiometry;" Coles and Priede; The Journal of Laryngology and Otology

1976; "A Proposed Audiometric Symbol System for Scholarly Research;" Jerger; Archives of Otolaryngology: Head and Neck Surgery

1977; "Occlusion Effect in Bone Conduction Pure Tone and Speech Audiometry;" Edgerton and Klodd; Journal of the American Audiology Society

1977; "On the Cross Hearing of Spondaic Words;" Martin and Blythe; Journal of Auditory Research

1979; "Central Masking Effects on Spondee Threshold as a Function of Masker Sensation Level and Masker Sound Pressure Level;" Martin and DiGiovanni; Journal of the American Auditory Society

1980; "The Masking Plateau Revisited;" Martin; Ear and Hearing

1981; "Uses and Abuses of Hearing Loss Classification;" Clark; ASHA: A Journal of the American Speech-Language-Hearing Association

1981; "Interaural Attenuation for Pure Tones and Speech;" Smith and Markides; British Journal of Audiology

1981; "Transcranial Attenuation in Bone Conduction Audiometry;" Nolan and Lyon; The Journal of Laryngology and Otology

1982; "Influence of Contralateral Masking on Bone-Conduction Thresholds;" Frank; Ear and Hearing

1983; "Influence of Physiological Noise and the Occlusion Effect on the Measurement of Real-Ear Attenuation at Threshold;" Journal of the Acoustical Society of America

1984; "New Insert Earphones for Audiometry;" Killion; Hearing Instruments

1985; "Insert Earphones for More Interaural Attenuation;" Killion et al; Hearing Instruments

1987; "Interaural Attenuation for Tube-Phone Insert Earphones;" Sklare and Denenberg; Ear and Hearing

1987; "Effects of Three Contralateral Maskers on Pure-Tone Thresholds using Manual Audiometry;" Benton and Sheeley; Audiology

1991; "Basic Hearing Tests;" Dennis and Neely; Otolaryngologic Clinics of North America

1991; "Sound Localization by Human Listeners;" Middlebrooks and Green; Annual Review of Psychology

1993; "Bone Conduction Errors at High Frequencies: Implications for Clinical and Medico-Legal Practice;" Lightfoot et al; [The Journal of Laryngology and Otology](#)

1994; "A Comparison of Narrowband Noise Attenuation Provided by a Madsen Insert Earphone and a TDH-50P Supra-aural Earphone;" Bernhardt; [M.Sc. Thesis; University of Wyoming](#)

1995; "Differences in the Performance of Metal- and Plastic-Cased TDH-39 and TDH-49 Audiometric Earphones, and Consequences for Their Calibration;" Sherwood et al; [The National Physical Laboratory](#)

1997; "Auditory and Tactile Bone-Conduction Thresholds Using Three Different Oscillators;" Dean and Martin; [Journal of the American Academy of Audiology](#)

1997; "Relationship Between Auditory Intensity Discrimination in Noise and Olivocochlear Efferent System Activity in Humans;" Micheyl et al; [Behavioural Neuroscience](#)

1998; "Seventh Survey of Audiometric Practices in the United States;" Martin et al; [Journal of the American Academy of Audiology](#)

1999; "A Comparison of Inter-aural Attenuation with the Etymotic ER-3A Insert Earphone and the Telephonics TDH-39 Supra-aural Earphone;" Munro and Agnew; [British Journal of Audiology](#)

1999; "Clinical Masking in Speech Audiometry: A Simplified Approach;" Yacullo; [American Journal of Audiology](#)

2000; "Insert Earphone Depth and the Occlusion Effect;" Dean and Martin; [American Journal of Audiology](#)

2000; "Psychophysical Correlates of Contralateral Efferent Suppression. I. The Role of the Medial Olivocochlear System in 'Central Masking' in Non-Human Primates;" Smith et al; [The Journal of the Acoustical Society of America](#)

2000; "Human Hearing Enhanced by Noise;" Zeng et al; [Brain Research](#)

2001; "Differential Effect of Near-Threshold Stimulus Intensities on Sound Localization Performance in Azimuth and Elevation in Normal Hearing Subjects;" Su and Recanzone; [Journal of the Association for Research in Otolaryngology](#)

2002; "Air Versus Bone Conduction: An Equal Loudness Investigation;" Stenfelt and Hakansson; [Hearing Research](#)

2003; "Normal Brief-Tone Bone-Conduction Behavioral Thresholds Using the B-71 Transducer: Three Occlusion Conditions;" Small and Stapells; Journal of the American Academy of Audiology

2004; "Masking Redux I: An Optimized Masking Method;" Turner; Journal of the American Academy of Audiology

2004; "Masking Redux II: A Recommended Masking Protocol;" Turner; Journal of the American Academy of Audiology

2004; "Stochastic Resonance and Sensory Information Processing: A Tutorial and Review of Application;" Moss et al; Clinical Neurophysiology

2005; "Influence of Ear Canal Occlusion and Static Pressure Difference on Bone Conduction Thresholds: Implications for Mechanisms of Bone Conduction;" Aazh et al; International Journal of Audiology

2005; "Bone-Conduction Hearing and the Occlusion Effect in Otosclerosis and Normal Controls;" Tsai et al; Otology and Neurotology

2005; "Human Sound Localization at Near-Threshold levels;" Sabin et al; Hearing Research

2006; "Binaural Hearing, Atresia, and the Masking Dilemma;" Lenhardt et al; International Tinnitus Journal

2007; "Active Noise Reduction Audiometry: A Prospective Analysis of a New Approach to Noise Management in Audiometric Testing;" Bromwich et al; The Laryngoscope

2007; "A Model of the Occlusion Effect with Bone-Conducted Stimulation;" Stenfelt and Reinfeldt; International Journal of Audiology

2007; "The Influence of Noise Type and Level Upon Stochastic Resonance in Human Audition;" Ries; Hearing Research

2009; "Investigation of Persian Speech Interaural Attenuation in Adults;" Alhasan and Afshin; Auditory and Vestibular Research

2009; "Interaural Attenuation: Comparative Study with Two Types of Transducers;" Ramos et al; Revue of the Society of Brazil Fonoaudiology

2010; "Inter-Aural Attenuation with Insert Phones;" Munro and Contractor; International Journal of Audiology

2010; "A Few Secrets About Bone-Conduction Testing;" Margolis; [The Hearing Journal](#)

2010; "Interaural Attenuation for Sennheiser HDA 200 Circumaural Earphones;" Brannstrom and Lantz; [International Journal of Audiology](#)

2011; "Audiogram: Is There a Need for a Change in the Approach to Categorize the Degree/Severity of Hearing Loss?" Manchaiah and Freeman; [International Journal of Audiology](#)

2011; "Comparing Pure, Pulsed, and Warbled Tone Thresholds in Adults at 3000 and 6000 Hz;" Franklin et al; [American Journal of Audiology](#)

2011; "Letter Regarding Two Recent Publications on Interaural Attenuation in the International Journal of Audiology;" Rowan and Pickering; [International Journal of Audiology](#)

2012; "Transcranial Attenuation of Bone-Conducted Sound When Stimulation is at the Mastoid Position and at the Bone Conduction Hearing Aid Position;" Stenfelt; [Otology and Neurotology](#)

2013; "Validity of Diagnostic Pure-tone Audiometry Without a Sound-Treated Environment in Older Adults;" Maclennan-Smith et al; [International Journal of Audiology](#)

2013; "Estimation of Bone Conduction Skull Transmission by Hearing Thresholds and Ear-Canal Sound Pressure;" Reinfeldt et al; [Hearing Research](#)

2014; "Effect of Bone-Conduction Harmonic Distortions on Hearing Thresholds;" Eichenauer et al; [Journal of the Acoustical Society of America](#)

2015; "Electro-Acoustic Performance of the New Bone Vibrator Radioear B81: A Comparison with the Conventional Radioear B71;" Jansson et al; [International Journal of Audiology](#)

2016; "Transcranial Attenuation in Patients with Single-Sided Deafness;" Snapp et al; [Audiology and Neurotology](#)

2016; "Examination of Insert Ear Interaural Attenuation (IA) Values in Audiological Evaluations;" Gumus et al; [Clinical Investigative Medicine](#)

2017; "Occlusion Effects in Various Testing Conditions Using Insert Earphones;" DeSantolo; [Capstone Project from City University of New York](#)

2017; "Use of Noise Cancellation Earphones in Out-of-Booth Audiometric Evaluations;" Clark et al; [International Journal of Audiology](#)

2017; "Vibrotactile Thresholds on the Mastoid and Forehead Position of Deaf Patients Using Radioear B71 and B81;" Jansson et al; Ear and Hearing

2018; "Out of Booth Testing with Noise-canceling Earphones;" Clark et al; The Hearing Journal

2018; "Accounting for the Occlusion Effect with Insert Earphones;" Neave-DiToro et al; The Journal of the American Academy of Audiology

2020; "Inconsistent Effects of Stochastic Resonance on Human Auditory Processing;" Rufener et al; Scientific Reports

2022; "Transcranial Attenuation in Bone Conduction Stimulation;" Rösli et al; Hearing Research

TECHNICAL DOCUMENTS

1986; "The Daily Calibration of Audiometers in Industry;" Banach; Quest Electronics

2003; American National Standards Institute Inc. ANSI S3.1-1999 (R2003); American National Standard Maximal Permissible Ambient Noise Levels for Audiometric Test Rooms

2004; American National Standards Institute Inc. ANSI S3.6-2004; Specifications for Audiometers

2018; American National Standard: Specification for Audiometers; ANSI/ASA S3.6-2018; © Acoustical Society of America

2018; "Recommended Procedure: Pure-Tone Air-Conduction and Bone-Conduction Threshold Audiometry With and Without Masking;" British Society of Audiology

TEXTBOOKS

1983; Principles of Speech Audiometry; University Park Press; Konkle and Rintelmann eds

1988; Masking: Practical Applications of Masking Principles and Procedures; Larson-Donaldson; National Institute for Hearing Instruments Studies

1991; Auditory Diagnosis; Silman and Silverman; Academic Press Inc.

1992; Basic Masking: An Explanation and Procedure (Second Edition); Staab; Wayne J. Staab, PhD, Publisher

1994; Handbook of Clinical Audiology: Fourth Edition; Katz; Williams & Wilkins

1996; Clinical Masking Procedures; Yacullo; Allyn and Bacon

1997; Essentials of Audiology; Gelfand; Thieme Medical Publishers, Inc.

1997; Audiologists' Desk Reference: Volume 1; Hall and Mueller; Singular Publishing Group Inc.

1998; Clinical Audiology: An Introduction; Stach; Singular Publishing Group Inc.

2000; Audiology: Diagnosis; Roeser, Valente and Hosfort-Dunn; Thieme Medical Publishers Inc.

2000; Introduction to Audiology: Seventh Edition; Martin and Clark; Allyn and Bacon

2001; Essentials of Audiology, 2nd Edition; Gelfand; Thieme Medical Publishers, Inc.

2009; Pure-Tone Audiometry and Masking; Valente; Plural Publishing Inc.

2015; Handbook of Clinical Audiology: Seventh Edition; Katz; Lippincott Williams & Wilkins

ONLINE & MISC. SOURCES

1975; The Concise Oxford Dictionary of Current English; Fowler and Fowler; Oxford University Press, Ely House

2013; Telephonics: A Visual History

2019; "Diagnostic Audiology;" Aiken; School of Communication Sciences and Disorders; Dalhousie University; [Course slides]

<http://www.schaffrath.net/>

<https://www.telephonics.com/>

www.iso.org

<https://www.iec.ch/homepage>

<https://www.radioear.us/>

“That Doesn’t Make Sense! – The Practical Realities of Bone Conduction Audiometry”

Sherman Lord; AuD

<http://blog.e3diagnostics.com/that-doesnt-make-sense-practical-realities-bone-conduction-audiometry-0>

“Hearing Testing Trivia;” 2013

Wayne Staab; Ph.D.

<http://hearinghealthmatters.org/waynesworld/2013/trivia-history-hearing-testing/>

Wikipedia: Critical Band Theory

https://en.wikipedia.org/wiki/Critical_band

Wikipedia: Johnson-Nyquist Noise

https://en.wikipedia.org/wiki/Johnson%E2%80%93Nyquist_noise

Wikipedia: ANSI

https://en.wikipedia.org/wiki/American_National_Standards_Institute

<https://www.asha.org/about/history/>

<https://ansi.org/>